

53883-194

9/25/2014

1/8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

September 25, 2014

Ms. Lisa Adamson  
Regulatory Specialist  
Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041

Subject: Label Amendment – Add a description of the action here  
Product Name: Bifenthrin .115G  
EPA Registration Number: 53883-194  
Application Date: May 22, 2014  
Decision Number: 491827

Dear Ms. Adamson:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions, please contact BeWanda Alexander by phone at (703)305-7460, or via email at alexander.bewanda@epa.gov.

Sincerely,

Richard Gebken, Product Manager 10  
Insecticide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14



### Bifenthrin .115 G

[Alt Brand Name: Surrender® G]

[Optional Generic Descriptor: Insect Killer Granules]

For outdoor use around residential sites only

<b>ACCEPTED</b>
09/25/2014
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-194

*[Optional Marketing Claims:*

- *Easy-to-Use [Applicator Nozzle]*
- *Works Fast*
- *Protects lawns against listed damaging insects*
- *Kills Listed Insects, Fleas & Ticks*
- *Fast Acting against [Fire Ants][listed insects],[ spiders][mole crickets][fleas] and [ticks]*
- *Kills fleas and ticks*
- *Kills ticks that may transmit Lyme Disease*
- *Kills and controls listed pests in lawns and around homes*
- *Controls [chinch bug], [sod webworms] [lawn moth],[ cutworms][ billbugs], [European crane fly][mole cricket],[ fleas],[ ticks (including ticks that may transmit Lyme's Disease)], and other lawn pests listed [by contact]*
- *Treats up to 5,000 Square Feet*
- *[A 10 lb. bag] Treats up to 10,000 sq. ft.*
- *[A 20 lb. bag] Treats up to 20,000 sq. ft.*
- *[A 1 lb. bag treats up to 1000 sq. ft.*
- *Use on lawns, ornamental and flower gardens, and vegetables*
- *Use around the outside of homes, foundations, porches and patios*
- *Kills listed insects by contact after watering in*
- *Effective home barrier treatment*
- *Kills listed bugs outdoors-before they come inside*
- *Treats 136 mounds or up to 3,500 sq. ft. [3.5 lb]*
- *Treats 39 mounds [1 lb size]*
- *Guaranteed to Work or Your Money Back*
- *Use on lawn and around home foundation as a barrier treatment*
- *Kills listed surface and sub-surface pests/insects/bugs that ruin your lawn*
- *Soil-penetrating formula reaches deep below ground*
- *Deep-reaching formula that kills listed lawn-destroying insects*
- *Keeps Listed [Lawn] Insects Away for Up to 2 Months [8 weeks]*
- *Kills Ants Outside so They Can't Come Inside*
- *Kills Listed Surface & Sub-Surface Insects*
- *Deep Reaching Formula*

3/8

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14

Active Ingredient

\*Bifenthrin.....0.115%

Other Ingredients.....99.885%

100.000%

\*Cis isomers 97% minimum, trans isomers 3% maximum.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See additional precautionary statements on back of bag. [See [back panel] [booklet] for additional precautionary statements]

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during the rain.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

**General Instructions**

**Bifenthrin .115 G** is for use on lawns, around home foundations (perimeter treatment), ornamental and flower gardens, and vegetable gardens for the control of the insect pests listed in the table below.

**Lawns**

Apply **Bifenthrin .115 G** when insect activity or damage is first observed (lawn thins, brown spots appear, or moths fly up from the grass when mowed).

Spread **Bifenthrin .115 G** uniformly over lawn using the suggested spreader settings. For best results, use a mechanical spreader.

Water-in product after application.

Do not use any other weed, disease, or insect control products for at least one week after application.

For best results and to prevent further damage, treat the entire lawn, not just the browned areas.

Repeat application if there are signs of renewed insect activity.

NOTE: Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

4/8

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14

Pest	Application Rate
<p>Ants (including Carpenter, Red Harvester, Odorous, Pyramid, Argentina, Pharoah, Black Turf, Fire Ants and Foraging Fire Ants),            Armyworms (including Lawn Armyworm, Fall Armyworm),            Billbugs (including Bluegrass Billbug, Hunting Billbug),            Black Turfgrass Ataenius (adults),            Bristletail,            Chiggers,            Chinch Bugs,            Crickets,            Cutworms (including Black Cutworm, Bronzed Cutworm, Granulate Cutworm, Variegated Cutworm),            Dichondra Flea Beetle,            Earwigs,            European Crane Fly,            Fiery Skipper,            Fire Brat,            Fleas,            Fruit Fly,            Grasshoppers,            Greenbug,            Ground Beetles,            Ground Pearl,            Leaf Hoppers,            Lucerne Moth,            Mealybugs,            Mole Crickets (including Tawny Mole Cricket, Southern Mole Cricket, Short-Winged Mole Cricket),            Pillbugs,            Seed Maggots,            Spiders,            Springtails,            Striped Grassworm,            Ticks (including ticks that may transmit Lyme Disease),            Two-lined Spittle Bugs,            Webworms (including Sod Webworm, Grass Webworm, Tropical Sod Webworm),</p>	<p>Uniformly apply 1 to 2 pounds over a 1,000 sq. ft. area of lawn using a spreader.</p> <p>For control, apply 1 lb of product per 250 sq ft</p> <p>For best results, thoroughly water the treated area after application.</p> <p>For <b>Fire Ant Mounds</b>: Uniformly apply 1 tablespoon or 3 teaspoons of granules to the surface of each mound. For best results apply in cool weather, 65 to 80 F, in early morning or late evening hours. Avoid disturbing ants. Treat new mounds as they appear. Thoroughly water the treated area after application.</p>

5/8

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14

Weevils (including Hyperodes, Bluegrass), Wireworms	
Centipedes, Millipedes, Pavement Ants	Uniformly apply 1 lb per 250 sq ft. area of lawn. For best results, thoroughly water the treated area after application.
Mole Crickets	Uniformly apply 1 to 2 pounds over a 500 sq. ft. For best results, treat in late spring and water thoroughly after application.
In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.	

**Ornamentals & Flowers**

**Bifenthrin .115 G** can be applied just before planting or after plants emerge.

Apply 0.5\* to 1 lb. evenly over each 500 sq. ft. area. Repeat if there are signs of renewed insect activity.

**Home Foundation/Barrier Treatment**

Evenly apply a 2 foot wide band next to the house/home foundation. Use 0.5\* to 1.0 lb for each 500 sq. ft. (2 ft. x 250 ft.).

\*0.5 lb/500 sq. ft. is equivalent to 1 lb/1000 sq. ft.

**Vegetable Gardens**

**Bifenthrin .115 G** can be applied to the vegetables listed below.

Apply a single application before planting or after plants emerge and work into the top 4 to 6 inches of soil. Use 1.0 lb of product for a 500 sq. ft. area.

Crop	Days to Wait till Harvest	Pests
Tomatoes,	1	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms
Sweet Corn	1	Ants, armyworms, cutworms, crickets, earwigs, European corn borer, fall armyworm, grasshoppers, southwestern corn borer and weevils
Green Peas Edible Pods (Sugar Snap Peas, Snow Peas), Green Beans (Wax Beans, Snap Beans), Dry Beans	3	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14

(Black Eyed Peas, Cow Pea),		
<b>Cucurbit Vegetables</b> Chayote, Citron melon, Cucumber, Edible Gourd Muskmelon (Cantaloupe, casaba, Crenshaw melon, Golden melon, Honeydew Melon, Pineapple melon, Santa Claus melon, Snake melon) Pumpkin, Summer squash (Crookneck, Scallop, Straightneck, Zucchini) Winter squash (Butternut, Calabaza, Hubbard including Acorn and Spaghetti) Watermelon	3	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms
Artichoke	5	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms
Broccoli, Brussels Sprouts, Chinese Broccoli, Cabbage, Cauliflower, Cavalo Broccoli, Chinese Cabbage, Kohlrabi, Chinese Mustard, Eggplant, Head Lettuce, Peppers (Bell and Non-Bell)	7	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms

**Spreading Instructions**

Follow Application Directions in the table below. Calibrate the spreader settings based on the manufacturer's recommendations.

**Spreader Settings**

Spreader	Spreader Settings covers 5,000 sq. ft.	Application Directions
	Pounds of product per 1,000 sq. ft. 1 lb.      2 lb.    3.5lb.	
Scott Drop Spreader EZ Drop, Republic (#530)	<i>(Spreader settings provided at printing)</i>	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts Easy Green® Rotary	<i>(Spreader settings provided at printing)</i>	Application automatically starts and stops when you do. For complete coverage make each pass

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14

EZ Broadcast, Republic (#540)		about 30 inches from the previous one, or some overlapping occurs.
Scotts SpeedyGreen® EdgeGuard® Rotary	<i>(Spreader settings provided at printing)</i>	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.

**STORAGE AND DISPOSAL**

**Prohibitions:** Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Keep out of reach of children and domestic animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. For rigid containers after partial use replace lids and close tightly. For bags after partial use, reseal opened bag by folding top down and securing.

**Container Disposal:**

**If empty:** Nonrefillable container. Do not reuse or refill this container. Empty container though use according to label instructions. Offer for recycling if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**  
**Hazard to Humans (and Domestic Animals)**  
**CAUTION**


Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**FIRST AID**

<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.	
<b>Note to Physician:</b> This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.	

Fast Track Amendment for Bonide to add marketing claims and crops and pests to the vegetable table 5.22.14

8/8



**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

**Notice:** Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA Reg. No. 53883-194  
EPA Est. No. XXXXXX-XX  
Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041